

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

IV-20240202-BH (EXTRACT) // PRODUCED: MAY 06, 2024

CLIENT: CANNEUTICS, LLC // BATCH: PASS



MATRIX: EXTRACT ¹
SAMPLE ID: NAL-240502-034
COLLECTED ON: MAY 02, 2024
RECEIVED ON: MAY 02, 2024
BATCH SIZE: 1000 G ¹
SAMPLE SIZE: 2.26 G ¹
SAMPLED BY: KEVIN P MCALOON
RECEIVED BY: ALEX ERAMO

¹ ENTERED BY CLIENT

CANNABINOID OVERVIEW

CBD:	64.5 %
Δ⁹-THC:	2.26 %
TOTAL CANNABINOIDS:	68.7 %

CULTIVATOR INFO

CULTIVATOR
KEVIN MCALOON
LICENSE
CGR26593
MEDICINAL - CAREGIVER

MANUFACTURER INFO

MANUFACTURER
KEVIN MCALOON
LICENSE
CGR26593
MEDICINAL - CAREGIVER

BATCH RESULT: PASS

POTENCY TESTED

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: MAY 03, 2024 // ANALYSIS: MAY 06, 2024

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL	ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBC	0.333 %	3.33 mg/g	0.158/0.316	N/A		CBNA		ND	ND	0.158/0.316	N/A
CBCA	ND	ND	0.158/0.316	N/A		Δ ⁸ -THC		ND	ND	0.316/0.316	N/A
CBD	64.5 %	645 mg/g	0.158/0.316	N/A		Δ ⁸ -THCA		ND	ND	0.316/0.316	N/A
CBDA	ND	ND	0.158/0.316	N/A		Δ ⁹ -THC	2.26 %	22.6 mg/g		0.158/0.316	N/A
CBDV	0.485 %	4.85 mg/g	0.158/0.316	N/A		Δ ¹⁰ -THC		ND	ND	0.158/0.316	N/A
CBDVA	ND	ND	0.158/0.316	N/A		EXO-THC		ND	ND	0.316/0.316	N/A
CBG	1.15 %	11.5 mg/g	0.158/0.316	N/A		THCA		ND	ND	0.316/0.316	N/A
CBGA	ND	ND	0.158/0.316	N/A		THCV		ND	ND	0.158/0.316	N/A
CBL	ND	ND	0.316/0.316	N/A		THCVA		ND	ND	0.158/0.316	N/A
CBLA	ND	ND	0.158/0.316	N/A		TOTAL THC**	2.26 %	22.6 mg/g			N/A
CBN	ND	ND	0.158/0.316	N/A		TOTAL CBD**	64.5 %	645 mg/g			N/A

** TOTAL CBD = (CBDA X 0.877) + CBD
** TOTAL THC = (THCA X 0.877) + THC
Reported on an as received basis
1000 µg/g = 1 mg/g



AUTHORIZED BY:
ZACHARY SMITH
LABORATORY MANAGER, NOVA
ANALYTIC LABS
MAY 06, 2024

NOTES

ZACHARY SMITH
MAY 06, 2024

POTENCY & CANNABINOID PROFILE BY HPLC-UV
THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT

